

SECTION F

INDEX TO VOLUME 27

Authors

- Anderson, J. A.—See Hlynka, I.; Rasmussen, H. E.
- Ashford, W. R.—See Manske, R. H. F.
- Babbitt, J. D.—Observations on the adsorption of water vapor by wheat, 55.
- Bayley, C. H. and Weatherburn, M. W.—The weathering characteristics and rot resistance of cotton duck treated with the copper complex of nitrosophenylhydroxylamine, 112.  
See Reade, M. A.; Weatherburn, A. S.
- Benson, G. and Kitchen, R. M.—A semiquantitative method for the detection of acetic anhydride in acetic acid, 266.
- Blackwood, A. C., Wheat, J. A., Leslie, J. D., Ledingham, G. A., and Simpson, F. J.—Production and properties of 2,3-butanediol. XXXI. Pilot plant studies on the fermentation of wheat by *Aerobacillus polymyxa*, 199.
- Campbell, J. W.—The mechanical behavior of guy wires, 167.
- Campbell, R. B. and Young, E. G.—The iodine content of fruits and vegetables, 301.
- Chapman, R. A.—See Moster, J. B.
- Cook, W. H.—See Rose, R. C.
- Davies, T. L. and Williams, H. L.—Pilot plant study of German Buna S-3 chemical rubber, 143.
- Durand, E. J.—See King, R. O.
- Elliott, K. A. C.—Removal of traces of oxygen from gases, 299.
- Farnand, J. R. and Puddington, I. E.—Stopcock lubricants, 318.
- Feldman, K. and Wright, G. M.—Diamond drill hole G-M counter, 23.
- Fordham, J. W. L., O'Neill, A. N., and Williams, H. L.—Laboratory study of German Buna S-3 chemical rubber, 119.
- Galgan, M. W.—See Spencer, E. Y.
- Gishler, P. E.—The fluidization technique applied to direct distillation of oil from bituminous sand, 104.
- Grace, N. H.—See Lips, H. J.
- Grant, G. A.—See Lips, H. J.
- Grass, H. and Spencer, E. Y.—Polarographic determination of the gamma isomer of benzene-hexachloride in insecticides and soil, 368.
- Harmsen, G. W.—See Watson, R. W.
- Hlynka, I., Martens, V., and Anderson, J. A.—A comparative study of ten electrical meters for determining moisture content of wheat, 382.
- Hollinsworth, V. E.—On the use of crystal controlled synchronous motors for the accurate measurement of time, 470.
- Jegard, S.—See Lips, H. J.; Pearce, J. A.
- Kastelic, J.—See Spencer, E. Y.

- King, R. O.** and Durand, E. J.—The oxidation, ignition, and detonation of fuel vapors and gases. X. The cause of preignition (surface ignition)—undoped liquid fuel, 337. XI. The loss of power coincident with the antiknock action of the carbonyls of iron and nickel in rich mixtures, 347.
- , Durand, E. J., and Morrison, J. A.—The oxidation, ignition, and detonation of fuel vapors and gases. XII. The high compression ratio Otto cycle gas engine and the adverse effect of high jacket temperatures on thermal efficiency, 435.
- , Wallace, W. A., and Durand, E. J.—The oxidation, ignition, and detonation of fuel vapors and gases. VIII. The causes of the antiknock property of rich mixtures, 211. IX. The cause of the reversal of the antiknock property of rich hydrocarbon-air mixtures, 307.
- Kinsey, H. V.** and Stewart, M. T.—A nickel-aluminum-molybdenum creep resistant alloy, 80.
- Kitchen, R. M.**—See Benson, G.
- Lavers, C. G.**—See Pearce, J. A.
- Ledingham, A. E.**—See Manske, R. H. F.
- Ledingham, G. A.**—See Blackwood, A. C.
- Leslie, J. D.**—See Blackwood, A. C.
- Lips, H. J.**—The effect of added water and antioxidants on the keeping quality of lard, 373. — and Grace, N. H.—Canadian erucic acid oils. IV. Edible properties of fanweed (pennycress) oil and shortening, 311.
- , Grace, N. H., and Jegard, S.—Canadian erucic acid oils. III. Shortenings from rape and mustard seed oils, 28.
- , Marshall, J. B., White, W. H., and Grant, G. A.—Ration biscuits. V. Effects of kind and concentration of various constituents on keeping quality, 419.
- Lubert, D. J.**, Smith, L. M., and Thornton, H. R.—Estimation of lipase in dairy products. II. An extraction-titration method for the estimation of bacterial lipase, 491. III. Lipase activity in cultures of micro-organisms and in cheese, 499. IV. Lipolytic activity of *Pseudomonas fluorescens*, 504.
- See Smith, L. M.
- Lynd, L. E.**—See Robinson, A. D.
- McElroy, L. W.**—See Spencer, E. Y.
- McKinley, D. W. R.**—Some electromechanical methods for producing low frequencies from a primary frequency standard, 49.
- Manske, R. H. F.**, Ledingham, A. E., and Ashford, W. R.—The preparation of quinolines by a modified Skraup reaction, 359.
- Marshall, J. B.**—See Lips, H. J.
- Martens, V.**—See Hlynka, I.; Paull, A. E.
- Middleton, W. E. K.**—Further remarks on "Photometry and colorimetry of railroad fuses", 177. The Plochere color system: A descriptive analysis, 1.
- and Smith, F. D.—The diffusion of light by ground glass, with special reference to color changes, 151.
- Miles, B. J.**—See Robinson, A. D.
- Mitchell, J. M.** and Williams, H. L.—Laboratory study of low ratio butadiene-styrene copolymers, 35.
- Mordell, D. L.**—Contraflow contrarotating turbocompressors, 285.
- Morrison, J. A.**—See King, R. O.
- Moster, J. B.** and Chapman, R. A.—The "browning reaction" in dried milk powder, 429.
- Ney, C. H.**—The modified Lambert conformal projection for polar areas, 269.
- O'Neill, A. N.**—See Fordham, J. W. L.
- Paterson, G. R.** and Spencer, E. Y.—Some factors affecting the cyanogenetic content of flax, 225.

- Pauli, A. E.** and Martens, V.—Factors affecting the determination of moisture in hard red spring wheat by commercial electrical meters, 479.
- Pearce, J. A.** and Jegard, S.—Measuring the solids content of honey and of strawberry jam with a hand refractometer, 99.
- and Lavers, C. G.—Frozen storage of poultry. V. Effects of some processing factors on quality, 253. Liquid and frozen egg. V. Viscosity, baking quality, and other measurements on frozen egg products, 231.
- and Thistle, M. W.—Dried whole egg powder. XXVIII. Reproducibility and interrelation of methods of assessing quality, 73.
- Puddington, I. E.**—See Farnand, J. R.
- Raff, R. A. V.** and Tomlinson II, G. H.—Mild oxidation of alkali lignins, 399.
- Rasmussen, H. E.** and Anderson, J. A.—A simple electrical meter for estimating the moisture content of grain, 249.
- Reade, M. A.,** Weatherburn, A. S., and Bayley, C. H.—The adsorption of sodium myristate by carbon black, 426.
- Robinson, A. D.,** Lynd, L. E., and Miles, B. J.—The thiamine and riboflavin content of Manitoba grown wheat, oats, and barley of the 1946 crop, 241.
- See Spencer, E. Y.
- Rose, G. R. F.**—See Weatherburn, A. S.
- Rose, R. C.** and Cook, W. H.—The suspending power and viscosity of carrageenin, 323.
- Simpson, F. J.**—See Blackwood, A. C.
- Smith, F. D.**—See Middleton, W. E. K.
- Smith, L. M.,** Lubert, D. J., and Thornton, H. R.—Estimation of lipase in dairy products. I. An extraction-titration method for the estimation of milk lipase, 483.
- See Lubert, D. J.
- Spencer, E. Y.** and Galgan, M. W.—Relations of thiamine content in Saskatchewan wheat to protein content, variety, and soil zone, 450.
- , Robinson, A. D., McElroy, L. W., and Kastelic, J.—Collaborative analysis of wheat, oats, and barley for thiamine and riboflavin, 194.
- See Grass, H.; Paterson, G. R.
- Stewart, M. T.**—See Kinsey, H. V.
- Tamboline, F.**—See Watson, R. W.
- Tessier, H.**—A dynamometer for determining depth of freezing in foods, 47.
- Thistle, M. W.**—See Pearce, J. A.
- Thornton, H. R.**—See Lubert, D. J.; Smith, L. M.
- Tomlinson II, G. H.**—See Raff, R. A. V.
- Wallace, W. A.**—See King, R. O.
- Watson, R. W.,** Tamboline, F., and Harmsen, G. W.—Production and properties of 2,3-butanediol. XXXIII. Automatic pH control in the dissimilation of sucrose by *Bacillus polymyxa*, 457.
- Weatherburn, A. S.,** Rose, G. R. F., and Bayley, C. H.—The adsorption of soap by carbon black, 179.
- See Reade, M. A.
- Weatherburn, M. W.**—See Bayley, C. H.
- Wheat, J. A.**—See Blackwood, A. C.
- White, W. H.**—See Lips, H. J.
- Williams, H. L.**—See Davies, T. L.; Fordham, J. W. L.; Mitchell, J. M.
- Wright, G. M.**—See Feldman, K.
- Young, E. G.**—See Campbell, R. B.

SECTION F

INDEX TO VOLUME 27

Subjects

- Acetic acid**, A semiquantitative method for the detection of acetic anhydride in, 266.
- Acetic anhydride** in acetic acid, A semiquantitative method for the detection of, 266.
- Adsorption**  
of soap by carbon black, 179.  
of sodium myristate by carbon black, 426.  
of water vapor by wheat, 55.
- Aerial maps**, See Maps, Aerial.
- Aerial navigation**, See Navigation, Aerial.
- Aerial surveying**, See Surveying, Aerial.
- Aerobacillus polymyxa**, Fermentation of wheat by, Pilot plant studies on, 199.
- Air-hydrocarbon mixtures**, Rich, Cause of reversal of antiknock property of, 307.
- Alkali lignins**, Mild oxidation of, 399.
- Alloys**, A nickel-aluminum-molybdenum creep resistant, 80.
- Aluminum-molybdenum-nickel** creep resistant alloy, 80.
- Analysis**, Collaborative, of wheat, oats, and barley for thiamine and riboflavin, 194.
- Antiknock action** in engines, See under Fuel vapors and gases.
- Antioxidants** and water, Added, Effect of, on keeping quality of lard, 373.
- Areas**, See Polar areas.
- Bacillus polymyxa**, Automatic pH control in dissimilation of sucrose by, 457.
- Bacterial lipase**, Estimation of, See under Lipase.
- Baking quality**, viscosity, and other measurements on frozen egg products, 231.
- Barley**, wheat, and oats, Thiamine and riboflavin content of, Collaborative analysis for, 194. Manitoba grown, 1946 crop, 241.
- Benzenhexachloride**, Gamma isomer of, in insecticides and soil, Polarographic determination of, 368.
- Biscuits**, See Ration biscuits.
- Bituminous sand**, Fluidization technique applied to direct distillation of oil from, 104.
- Blacks**, See Carbon black.
- "Browning reaction"** in dried milk powder, 429.
- Butadiene-styrene copolymers**, Low ratio, Laboratory study of, 35.
- 2,3-Butanediol**, Production and properties of, XXXI. Pilot plant studies on the fermentation of wheat by *Aerobacillus polymyxa*, 199. XXXIII. Automatic pH control in the dissimilation of sucrose by *Bacillus polymyxa*, 457.
- Canadian erucic acid oils**, Shortenings from, See under Erucic acid oils.
- Carbon black**  
Adsorption of soap by, 179.  
Adsorption of sodium myristate by, 426.
- Carbon dioxide-nitrogen** gas mixtures, Removal of oxygen from 299.
- Carbonyls** of iron and nickel, Loss of power coincident with antiknock action of, in rich fuel mixtures in engines, 347. See also Fuel vapors and gases.
- Carrageenin**, Suspending power and viscosity of, 323.
- Cheese** and cultures of micro-organisms, Lipase activity in, See under Lipase.
- Chemical rubber**, See German Buna S-3 chemical rubber.
- Color**  
changes, Diffusion of light by ground glass, with special reference to, 151.  
system, Plochere, A descriptive analysis, 1.
- Colorimetry**, Photometry and, of railroad fuses, Further remarks on, 177.
- Columns**, Support of, See Guy wires, Mechanical behavior of.
- Compression ratio**  
High, Otto cycle gas engine and the adverse effect of light jacket temperatures on thermal efficiency, 435.  
See also Fuel vapors and gases.

**Compressors, Turbo-, Contraflow,** Performance of, 285.

**Conformal projection** for polar areas, Modified Lambert, 269.

**Contraflow, contrarotating turbocompressors,** Performance of, 285.

**Contrarotating turbocompressors, Contraflow,** Performance of, 285.

**Copolymers,** Low ratio butadiene-styrene, Laboratory study of, 35.

**Copper complex of nitrosophenylhydroxylamine,** Weathering characteristics and rot resistance of cotton duck treated with, 112.

**Cotton duck** treated with the copper complex of nitrosophenylhydroxylamine, Weathering characteristics and rot resistance of, 112.

**Counter, G-M,** Diamond drill hole, 23.

**Creep resistant alloy,** A nickel-aluminum-molybdenum, 80.

**Crystal controlled synchronous motors,** use of, for the accurate measurement of time, 470.

**Cultures of micro-organisms,** Lipase activity in, See under Lipase.

#### **Cyanogenesis**

Some factors affecting the cyanogenetic content of flax, 225.

**Cyanogenetic content of flax,** Some factors affecting the, 225.

**Dairy products,** Estimation of lipase in, See under Lipase.

**Detonation,** See under Fuel vapors and gases.

**Diamond drill hole G-M counter,** 23.

**Diffusion** of light by ground glass, with special reference to color changes, 151.

**Dissimilation of sucrose** by *Bacillus polymyxa*, Automatic pH control in, 457.

**Distillation,** Direct, of oil from bituminous sand, Fluidization technique applied to, 104.

**Dried milk powder,** See Milk powder.

**Drill hole, Diamond,** G-M counter for gamma-ray surveys of, 23.

**Duck, Cotton,** See Cotton duck.

**Dynamometer** for determining depth of freezing in foods, 47.

#### **Egg, Liquid and frozen,**

V. Viscosity, baking quality, and other measurements on frozen egg products, 231.

#### **Egg powder,** Dried whole,

XXVIII. Reproducibility and interrelation of methods of assessing quality, 73.

**Electrical meters,** See Meters, Electrical.

**Engines,** Fuel tests with, See under Fuel vapors and gases.

#### **Erucic acid oils,** Canadian,

III. Shortenings from rape and mustard seed oils, 28.

IV. Edible properties of fanweed (Pennycress) oil and shortening, 311.

**Fanweed (Pennycress) oil** and shortening, Edible properties of, 311.

**Fermentation,** See under 2,3-Butanediol.

**Flax,** Cyanogenetic content of, Some factors affecting the, 225.

**Fluidization** technique applied to direct distillation of oil from bituminous sand, 104.

**Foods,** A dynamometer for determining depth of freezing in, 47.

#### **Freezing**

in foods, Depth of, A dynamometer for determining, 47.

See also Frozen storage.

**Frequency,** Some electromechanical methods for producing low frequencies from a primary frequency standard, 49.

**Frozen egg,** See Egg, Liquid and frozen.

#### **Frozen storage**

of poultry, Effect of some processing factors on quality, 253.

See also Freezing.

**Fruits and vegetables,** Iodine content of, 301.

**Fuel,** See Fuel vapors and gases.

**Fuel vapors and gases,** The oxidation, ignition, and detonation of,

VIII. The causes of the antiknock property of rich mixtures, 211.

IX. The cause of the reversal of the antiknock property of rich hydrocarbon-air mixtures, 307.

X. The cause of preignition (surface-ignition)—undoped liquid fuel, 337.

XI. The loss of power coincident with the antiknock action of the carbonyls of iron and nickel in rich mixtures, 347.

XII. The high compression ratio Otto cycle gas engine and the adverse effect of high jacket temperatures on thermal efficiency, 435.

**Fusees**, See Railroad fusees.

**Gamma isomer** of benzenhexachloride in insecticides and soil, Polarographic determination of, 368.

**Gamma-ray surveys** of diamond drill holes, G-M counter for, 23.

**Gas engines**, Fuel tests in, See under Fuel vapors and gases.

**Gases**, removal of traces of oxygen from, 299. See also Fuel vapors and gases.

**German Buna S-3 chemical rubber**, Laboratory study of, 119. Pilot plant study of, 143.

**Glass**, Ground, See Ground glass.

**G-M counter**, Diamond drill hole, 23.

**Ground glass**, Diffusion of light by, with special reference to color changes, 151.

**Guy wires**, Mechanical behavior of, 167.

**Hand refractometer**, Measuring the solids content of honey and strawberry jam with, 99.

**Hard red spring wheat**, See Wheat.

**Honey** and strawberry jam, Measuring the solids content of, with a hand refractometer, 99.

**Hydrocarbon-air mixtures**, Rich, Cause of reversal of antiknock property of, 307.

**Hydrogen ion concentration**, Automatic control of, in dissimulation of sucrose by *Bacillus polymyxa*, 457.

**Hydroxylamine, Nitrosophenyl-**, Copper complex of, Weathering characteristics and rot resistance of cotton duck treated with, 112.

**Ignition**, See Pre-ignition.

**Iodine** content of fruits and vegetables, 301.

**Insecticides** and soil, Gamma isomer of benzenhexachloride in, Polarographic determination of, 368.

**Iron carbonyl** and nickel carbonyl, Loss of power coincident with antiknock action of, in rich mixtures, See under Fuel vapors and gases.

**Isomers**, See Gamma isomer.

**Jam**, Strawberry, and honey, Measuring the solids content of, with a hand refractometer, 99.

**Keeping quality**, of lard, Effect of added water and antioxidants on, 373. of ration biscuits, Effect of kind and concentration of various constituents on, 419.

**Knock, Anti-**, action, See under Fuel vapors and gases.

**Lambert conformal projection**, for polar areas, Modified, 269.

**Lard**, Keeping quality of, Effects of added water and antioxidants on, 373.

**Light**, Diffusion of, by ground glass, with special reference to color changes, 151.

**Lignin**, Alkali, Mild oxidation of, 399.

**Lipase** in dairy products, Estimation of, I. An extraction-titration method for the estimation of milk lipase, 483. II. An extraction-titration method for the estimation of bacterial lipase, 491. III. Lipase activity in cultures of microorganisms and in cheese, 499. IV. Lipolytic activity of *Pseudomonas fluorescens*, 504.

**Lipolytic activity** of *Pseudomonas fluorescens*, See under Lipase.

**Liquid egg**, See Egg, Liquid and frozen.

**Liquid fuel**, Undoped, Cause of preignition (surface ignition) using, in engines, 337. See also Fuel vapors and gases.

**Low frequencies**, Production of, from a primary frequency standard, by electro-mechanical methods, 49.

**Lubricants**, Stopcock, 318.

**Manitoba** grown wheat, oats, and barley of the 1946 crop. Thiamine and riboflavin content of, 241.

**Maps, Aerial**, Modified Lambert conformal projection for polar areas, 269.

**Meat**, See Poultry.

**Meters, Electrical**, Commercial, Factors affecting determination of moisture in hard red spring wheat by, 479. for determining moisture content of wheat, A comparative study of ten, 382. Simple, for estimating the moisture content of grain, 249.

**Micro-organisms**, Lipase activity in cheese and in cultures of, See under Lipase.

**Milk lipase**, Estimation of, See under Lipase.

**Milk powder**, Dried, The "browning reaction" in, 429.



**Modified Lambert conformal projection for polar areas**, 269.

**Moisture**

content of grain, A simple electrical meter for measuring, 249.  
content of wheat, A comparative study of ten electrical meters for determining, 382.  
in hard red spring wheat, Factors affecting the determination of, by commercial electrical meters, 479.

**Molybdenum-nickel-aluminum creep resistant alloy**, 80.

**Motors**, See Synchronous motors.

**Mustard seed oil** and rape seed oil, Shortenings from, 28.

**Navigation, Aerial**, Modified Lambert conformal projection for polar areas, 269.

**Nickel-aluminum-molybdenum creep resistant alloy**, 80.

**Nickel carbonyl** and iron carbonyl, Effect of, in engine fuel mixtures, See under Fuel vapors and gases.

**Nitrogen** and nitrogen-carbon dioxide gas mixtures, Removal of oxygen from, 299.

**Nitrosophenylhydroxylamine**, Copper complex of, Weathering characteristics and rot resistance of cotton duck treated with, 112.

**Oats, wheat, and barley**, Thiamine and riboflavin content of, Collaborative analysis for, 194.  
Manitoba grown, 1946 crop, 241.

**Oils**

Fluidization technique applied to direct distillation of oil from bituminous sand, 104.

See also Erucic acid oils.

**Otto cycle gas engine**, Fuel tests with, See under Fuel vapors and gases.

**Oxidation**,

Mild, of alkali lignins, 399.

See under Fuel vapors and gases.

**Oxygen**, Removal of traces of, from gases, 299.

**Pennycress**, See Fanweed.

**pH control**, Automatic, in the dissimilation of sucrose by *Bacillus polymyxa*, 457.

**Phenylhydroxylamine, Nitroso-**, Copper complex of, Weathering characteristics and rot resistance of cotton duck treated with, 112.

**Photometry** and colorimetry of railroad fuses, Further remarks on, 177.

**Pilot plant** Studies on the fermentation of wheat by *Aerobacillus polymyxa*, 199.

**Plant**, See Pilot plant.

**Plocher color system**: a descriptive analysis, 1.

**Polar areas**, Modified Lambert conformal projection for, 269.

**Polarography**

Polarographic determination of the gamma isomer of benzenehexachloride in insecticides and soil, 368.

**Polymers**, See Copolymers.

**Poultry**, Frozen storage of,

V. Effects of some processing factors on quality, 253.

**Powders**, See Milk powder.

**Power**,

Loss of, coincident with antiknock action of carbonyls of iron and nickel in rich mixtures in engines, 347.

See under Fuel vapors and gases.

**Preignition**

(Surface ignition), Cause of, with undoped liquid fuels, in engines, 337.

See also Fuel vapors and gases.

**Projection**, Modified Lambert conformal, for polar areas, 269.

**Protein** content, variety, and soil zone, Relations of thiamine content in Saskatchewan wheat to, 450.

**Pseudomonas fluorescens**, Lipolytic activity of, See under Lipase.

**Quality**, See under Egg; Egg powder; Lard; Poultry; Ration biscuits.

**Quinolines**, Preparation of, by a modified Skraup reaction, 359.

**Railroad fuses**, Further remarks on photometry and colorimetry of, 177.

**Rape seed oil** and mustard seed oil, Shortenings from, 28.

**Ration biscuits**. V. Effects of kind and concentration of various constituents on keeping quality, 419.

**$\gamma$ -Ray surveys** of diamond drill holes, G-M counter for, 23.

**Reaction**, See "Browning reaction"; Skraup reaction.

**Refractometer**, Hand, See Hand refractometer.

**Resistance, Rot**, See Rot resistance.

**Riboflavin**

and thiamine, Collaborative analysis of wheat, oats, and barley for, 194.

and thiamine content of Manitoba grown wheat, oats, and barley of the 1946 crop, 241.

- Rot resistance** of cotton duck treated with the copper complex of nitrosophenylhydroxylamine, 112.
- Rubber**, Chemical, See German Buna S-3 chemical rubber.
- Sand**, See Bituminous sand.
- Saskatchewan wheat**, Thiamine content in, Relations of, to protein content, variety, and soil zone, 450.
- Seed oils**, Rape and mustard, Shortenings from, 28.
- Shortenings**, See under Erucic acid oils, Canadian.
- Skraup reaction**, Modified, Preparation of quinolines by, 359.
- Soap**, Adsorption of, by carbon black, 179.
- Sodium myristate**, Adsorption of, by carbon black, 426.
- Soil**  
and insecticides, Polarographic determination of the gamma isomer of benzenehexachloride in, 368.  
zone, Relations of thiamine content in Saskatchewan wheat to protein content, variety, and, 450.
- Solids content** of honey and strawberry jam, Measuring the, with a hand refractometer, 99.
- Stopcock lubricants**, 318.
- Storage**, Frozen, See under Poultry.
- Strawberry jam** and honey, Measuring the solids content of, with a hand refractometer, 99.
- Styrene**, See under Copolymers.
- Sucrose**, Dissimilation of, by *Bacillus polymyxa*, Automatic pH control in, 457.
- Surface ignition** (Preignition), Cause of, with undoped liquid fuel, in engines, See under Fuel vapors and gases.
- Surveying**, Aerial, Modified Lambert conformational projection for polar areas, 269.
- Suspending power** and viscosity of carrageenin, 323.
- Synchronous motors**, Crystal controlled, Use of, in the accurate measurement of time, 470.
- Temperature**, High jacket, Adverse effect of, on thermal efficiency of high compression ratio Otto cycle gas engine, See under Fuel vapors and gases.
- Thermal efficiency**, of high compression ratio Otto cycle gas engine, Effect of high jacket temperature on, See under Fuel vapors and gases.
- Thiamine**  
and riboflavin,  
Collaborative analysis of wheat, oats, and barley for, 194.  
content of Manitoba grown wheat, oats, and barley of the 1946 crop, 241.  
content, protein content, variety, and soil zone, Relations of, in Saskatchewan wheat, 450.
- Time**, Use of crystal controlled synchronous motors for the accurate measurement of, 470.
- Turbines**, See Turbocompressors.
- Turbocompressors**, Contraflow contra-rotating, Performance of, 285.
- Vapors**  
Adsorption of wheat by water vapor, 55.  
See also Fuel vapors and gases.
- Variety**, protein content, and soil zone, Relations of thiamine content in Saskatchewan wheat to, 450.
- Vegetables and fruits**, Iodine content of, 301.
- Viscosity**  
and suspending power of carrageenin, 318.  
baking quality, and other measurements on frozen egg products, 231.
- Vitamins**, See Riboflavin; Thiamine.
- Water**  
and antioxidants, Added, Effect of, on keeping quality of lard, 373.  
vapor, Adsorption of, by wheat, 55.  
See Moisture content.
- Weathering** characteristics and rot resistance of cotton duck treated with the copper complex of nitrosophenylhydroxylamine, 112.
- Wheat**  
Adsorption of water vapor by, 55.  
Fermentation of, by *Aerobacillus polymyxa*, Pilot plant studies on, 199.  
Moisture in,  
Comparative study of ten electrical meters for determining, 382.  
Factors affecting determination of, in hard red spring wheat, by commercial electrical meters, 382.  
oats, and barley. Thiamine and riboflavin content of,  
Collaborative analysis for, 194.  
Manitoba grown wheat, 1946 crop, 241.  
Thiamine content in Saskatchewan wheat, Relations to protein content, variety, and soil zone, 450.
- Wires**, Guy, The mechanical behavior of, 167.



